

CORRES. CONTROL  
INCOMING LTR NO.

00003 RFO 3

DUE DATE  
ACTION

DIST.	LTR	ENC
BOGNAR, E.	X	
CROCKETT, G.		
DECK, C. A.	X	
DEGENHART, K.		
DIETER, T. J.		
DIETERLE, S. E.		
FERRERA, D.W.	X	
FERRI, M.S.		
GERMAIN, A. L.		
GIACOMINI, J. J.		
ISOM, J. H.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NORTH, K.	X	
PARKER, A.M.	X	
POWERS, K.		
RODGERS, A. D.		
SHELTON, D.C.	X	
SPEARS, M.S.		
TRICE, K.D.		
TUOR, N.R.	X	
WILLIAMS, J. L.		

FREIBOTH, C. X  
BROOKS, L. XCOR. CONTROL X  
ADMIN. RECORD X  
PATS/130Reviewed for Addressee  
Corres. Control RFP1/6/03  
DateBy  
By

Ref. Ltr. #

DOE ORDER #

5400-1

RECEIVED

2003 JAN -6 P 2-27

CORRESPONDENCE  
CONTROL

STATE OF COLORADO

Colorado Department  
of Public Health  
and EnvironmentBill Owens, Governor  
Douglas H. Benevento, Acting Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.  
Denver, Colorado 80246-1530  
Phone (303) 692-2000  
TDD Line (303) 691-7700  
Located in Glendale, ColoradoLaboratory and Radiation Services Division  
8100 Lowry Blvd.  
Denver, Colorado 80230-6928  
(303) 692-3090<http://www.cdphe.state.co.us>

December 24, 2002

Mr. Joseph A. Legare, Assistant Manager  
Environment and Stewardship  
U.S. Department of Energy, RFFO  
10808 Highway 93, Unit A  
Golden, CO 80403-8200RE: RLCR for Buildings 427, 449, 449A, 449C, S449, 453, 454, and the 457 Pad at the Rocky Flats  
Environmental Technology Site (RFETS)

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the "Division") has completed reviewing the *RFETS Reconnaissance Level Characterization Report (RLCR)* for the 444 Cluster Closure Project Buildings 427, 449, 449A, 449C, S449, 453, 454 & 457 Pad (Revision 0, dated September 23, 2002). On December 11, 2002, Division representatives toured these facilities accompanied by RFETS personnel. The Division has also reviewed the revised pages to the RLCR submitted via e-mail on December 17, 2002. In accordance with Section 3.3.4 of the *Decommissioning Program Plan*, the Division hereby concurs with the determination that Buildings 427, 449, 449C, S449, 454 and the 457 Pad are Type 1 facilities. Additionally, the Division concurs that Buildings 449A and 453 are Type 2 facilities. In accordance with the protocols approved per the final Rocky Flats Cleanup Agreement (RFCA), activities in these facilities involving decontamination, the removal of facility components, and demolition will need to follow the proper notification procedures, work control practices, and the RFCA consultative process. Additional characterization of the attic portion of Building 449A will be necessary before the Pre-Demolition Survey (PDS) of this facility can be considered complete. However, the connex container incorporated into the western portion of Building 449A may be removed for use as a beryllium waste container without additional characterization or decontamination, as long as the other portions of Building 449A are not disturbed. If you have any questions regarding this matter please contact James Hindman at (303) 692-3345.

Sincerely,

Steven H. Gunderson  
RFCA Project Coordinatorcc: S. Tower, DOE-RFFO  
C. Freiboth, Kaiser-Hill  
D. Shelton, Kaiser-HillT. Rehder, EPA Region VIII  
D. Miller, AGO

Administrative Records, Building T130G



ADMIN RECORD

DOCUMENT CLASSIFICATION  
REVIEW WAIVER PER  
CLASSIFICATION OFFICE

B444-A-000029